SPACE EXPLORATION SYMPOSIUM (A3)

Mars Exploration – Part 2 (3B)

Author: Mr. Lu Qisheng Shanghai Institute of Satellite Engineering, China, ilunix88@163.com

Mrs. Li Lyping Shanghai Institute of Satellite Engineering, China, lilyping2011@163.com

ACCELERATED AEROBRAKING TECHNOLOGY IN THE MARS EXPLORATION

Abstract

In the Mars exploration, the spacecraft enters an initial Mars HEO after engine ignitions near the Mars, and then lowers the orbital altitude by orbital manoeuvres to a circular low Mars orbit (LMO). Using aerobraking technology to finish the transfer could save much energy. However, during the process of regular aerobraking, the spacecraft usually adopts a certain attitude control mode, and solar arrays have to keep sun pointing, so the total windward area of the satellite is unable to remain maximum, and that is one of reasons why regular aerobraking always costs too much time. Therefore, study on accelerated aerobraking technology in the Mars exploration in order to minimize time of the orbital transfer is needed.

Aiming at the long aerobraking during Mars missions, an optimal drive law of solar arrays during aerobraking is presented in this paper, according to specific attitude control mode of the satellite. The integrated optimization of transfer time and energy is also being taking into account.

The contents of the paper are listed as follows: (1)According to specific attitude control mode of the spacecraft, the relationship between the drive angle of solar panels and the total windward area of satellite is discussed.(2) For an orbital transfer between a HEO and a circular LMO, a regular aerobraking with solar panels pointing to the sun is simulated, and related time and fuel consuming is obtained. After the aerobraking, the perigee of the satellite would be lower, so orbit maneuvers with some fuel consuming is necessary to raise the perigee. (3) Considering the rotation angle of solar panels as a control variable and integrated optimization of time and energy consuming as a performance index, the optimal control problem is converted into a two point boundary value problem using Pontryagin minimum principle, which is solved by nonlinear programming method. According to specific attitude control mode, an optimal drive control law of solar panels with maximal windward area is presented. Compared with simulation results of the regular aerobraking, the accelerated aerobraking costs much less time.

The simulation results validate the accelerated aerobraking technology discussed in this paper, and it can be used for reference to engineering application.