66th International Astronautical Congress 2015

HUMAN SPACEFLIGHT SYMPOSIUM (B3) Advanced Systems, Technologies, and Innovations for Human Spaceflight (7) Author: Mr. Antonio Magariello International Master SEEDS, Italy, amagariello@gmail.com Mr. Crescenzio Ruben Xavier Amendola ISAE - Institut Supérieur de l'Aéronautique et de l'Espace, France, cre.amendola@gmail.com Ms. Portia Bowman University of Leicester, United Kingdom, lemonpancakes@hotmail.com Mr. Samuel Brocksopp University of Leicester, United Kingdom, samuelbrocksopp@gmail.com Mr. Alex Gee University of Leicester, United Kingdom, alexgee307@gmail.com Mr. Samuel Kennedy International Master SEEDS, United Kingdom, SamuelRFKennedy@gmail.com Mr. Alex Rosenbaum France, alex.rosenbaum@hotmail.fr Mr. Joachim H. Strenge ISAE - Institut Supérieur de l'Aéronautique et de l'Espace, The Netherlands, J.Strenge@gmx.de Mr. Aurthur Vimalachandran Thomas Jayachandran Politecnico di Torino - Thales Alenia Space Italia, India, aurthur01@gmail.com Mr. Andrea D'Ottavio Politecnico di Torino, Italy, andrea.dottavio.connect@gmail.com Mr. Ignacio Rev Italy, ignaciorey@virgilio.it Mr. Adrian Mora Boluda Spain, adrimorabo@gmail.com ORPHEUS: A NEW CONCEPT OF A MANNED SHORT STAY MISSION TO THE PROXIMITY OF

## ORPHEUS: A NEW CONCEPT OF A MANNED SHORT STAY MISSION TO THE PROXIMITY OF MARS.

## Abstract

The ISECG Global Exploration Roadmap (GER) has identified the need for manned missions to Mars to advance our exploration of the solar system. In order to establish a manned base on Mars, one of the first steps is to better understand the environment of Mars, and develop technology that allows humans to travel and survive there. In order to achieve these goals a feasibility study of a mission to the proximity of Mars has been performed. Twelve international students as part of the SpacE Exploration and Development Systems (SEEDS) Masters Course did this over six months. Orpheus is a 602-day return mission to the vicinity of Mars, comprised of two manned Phobos landings and three robotic Mars surface probes. It proposes the use of two spacecraft: a manned Crew Interplanetary Vehicle (CIV); and a cargo vehicle, the Mars Automated Transfer Vehicle (MATV). Scientific advancements, technological progress, increased public interest and international cooperation are the main objectives of this mission. An innovative configuration of the CIV was designed to sustain a crew of six for the mission duration. The CIV will depart from LEO in 2036 using cryogenic propulsion for Trans-Mars injection (TMI). Once in Mars proximity, the primary manoeuvres are performed using nuclear thermal propulsion and a bipropellant chemical system for the minor manoeuvres. The CIV has a calculated IMLEO of 3981 tonnes, comparable to that of the ISS construction mass, considering the 37 shuttle launches. In order to perform some preliminary science analysis and landing sites investigation the MATV would arrive two years before the CIV. It would use a low thrust trajectory, transporting the Phobos Lander, an Orbital Laboratory-for initial sample analysis - and three planetary rovers for providing a distributed Mars surface analysis network. The MATV will stay in Martian orbit after the CIV departs, providing a communications relay for the surface probes. Significant challenges to the design, such as the integrated radiation dose received by astronauts and the propellant boil-off problem were investigated: proposals for mitigating them are provided in the paper. In addition, a detailed trajectory analysis has been performed, and innovative propulsion systems and inflatable habitable modules were considered. The result is an innovative concept of a manned mission to the vicinity of Mars, leading to outputs that can help to pave the way for the future of manned space exploration.