

25th IAA SYMPOSIUM ON SMALL SATELLITE MISSIONS (B4)
Highly Integrated Distributed Systems (7)

Author: Mr. Karim Hacene Lhadj
Politecnico di Torino, Italy

Mr. Augustin Colonna Walewski
Politecnico di Torino - Thales Alenia Space Italia - ISAE Supaero Toulouse, France

Mr. Matteo Dragoni

Politecnico di Torino - Thales Alenia Space Italia - ISAE Supaero Toulouse, Italy

Mr. William Zhang

ISAE - Institut Supérieur de l'Aéronautique et de l'Espace, France

Mr. Maxime MAILLY

ISAE-Supaero University of Toulouse, France

Mr. Thibault Magnin

ISAE-Supaero University of Toulouse, France

Ms. Gaargi Jain

University of Leicester, United Kingdom

Mr. Guillaume du Roy

ISAE-Supaero University of Toulouse, Belgium

LUNAR NAVIGATION AND POSITIONING SYSTEM BASED ON CUBESAT CONSTELLATION

Abstract

In the scenario of Moon exploration, the introduction of a Lunar navigation system is an essential asset to support surface operations. A precise positioning real-time system on an astronomical body plays a key role in enhancing robotics and human activities, allowing to plan safer and more reliable missions. The system will provide accurate data on the location of vehicles and direct Line-of-Sight links to every region of interest on the Lunar surface, thus suppressing occultation times for Earth communications. Moreover, with the aim of building settlements on the Moon, the system will also provide the capability of coordinating technologically advanced machines operating autonomously to conduct research and gather scientific data. Furthermore, the navigation fleet will also co-operate with In-Situ-Resource-Utilization systems by mapping raw resources and providing end-to-end communications with different ISRU subsystems. In this paper, it is described the feasibility of such a system, focusing in particular on CubeSats which allow to minimize mission costs without incurring in a substantial degradation of the signal.

The Cubesats making up the navigation constellation will fly over non-circular orbits to ensure full coverage of the Lunar surface regions of interest, ensuring the capability of a continuous exchange of data with the Lunar Ground Segment. Finally, the comparatively short distance between Moon and Earth will facilitate the initial implementation of the concept in a Lunar orbit, paving the way for the employment of the same technology in future exploration missions on more distant celestial bodies, such as Mars.