

IAF MICROGRAVITY SCIENCES AND PROCESSES SYMPOSIUM (A2)
Gravity and Fundamental Physics (1)

Author: Mr. Zygimantas Vainauskas
University of Leicester, United Kingdom

Mr. John Toop-Rose
Hyperganic Group GmbH, Singapore, Republic of

Ms. Samiksha Raviraja
University of Leicester, United Kingdom

Ms. Fiona Poda
University of Leicester, United Kingdom

Mrs. Gaia Di Tommaso
Politecnico di Milano, Italy

Ms. Rachel Diamond
University College London (UCL), United Kingdom

EXPLORING BLACK HOLES WITH HYPOTHETICAL TACHYONS: A THEORETICAL ODYSSEY
BEYOND THE EVENT HORIZON

Abstract

This abstract delves into the speculative realm of utilizing hypothetical tachyons, particles purported to travel faster than light, to unravel the mysteries concealed within the event horizons of black holes. Theoretical and technological considerations are explored in this hypothetical scenario, highlighting the intricate challenges associated with penetrating the enigmatic boundaries of these cosmic entities.

The conceptual foundation of this endeavour necessitates a theoretical framework for understanding the properties and behaviour of tachyons. Hypothetical in nature, tachyons pose theoretical challenges and require a robust physics model that accommodates their existence, properties, and interactions within the cosmic fabric. A pivotal step in this speculative journey involves the creation and control of tachyons, a technological feat surpassing our current capabilities. Theoretical models must be devised to generate and harness these particles, directing them toward the perilous regions surrounding a black hole. The technological challenges involved in manipulating particles that surpass the speed of light underscore the speculative nature of this endeavour.

The fundamental obstacle in black hole exploration is the impenetrable event horizon, beyond which no conventional matter or light can escape. Tachyons, in theory, possess the capability to traverse this boundary, offering a tantalizing prospect for observing the contents within. However, the interaction of tachyons with the extreme gravitational forces near the event horizon remains an uncertain facet, requiring theoretical advancements to elucidate. Assuming successful traversal of the event horizon, the subsequent challenge lies in collecting and interpreting the data obtained by tachyons. The extreme conditions surrounding a black hole, including intense gravitational fields and potential time dilation effects, necessitate the development of advanced technologies for data collection and analysis, surpassing our current understanding. Moreover, the communication of data from within the black hole to external observers presents an additional hurdle. Overcoming the intense gravitational forces and relaying information across cosmic distances requires hypothetical communication mechanisms and technologies yet to be conceived.

In conclusion, this paper would explore the theoretical possibility of employing tachyons as a means to study the contents of black holes beyond the event horizon. While these speculative concepts capture the imagination, it is essential to emphasize that the theoretical and technological prerequisites for such an

endeavour remain elusive. Current approaches to understanding black holes rely on indirect observations and theoretical models within the boundaries of established physics, leaving the prospect of utilizing tachyons as a tool for black hole exploration within the realm of speculative scientific inquiry.